

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
1 July 2004 (01.07.2004)

PCT

(10) International Publication Number
WO 2004/054766 A1

(51) International Patent Classification⁷: **B27K 3/40**,
3/50, 3/38, 3/34

(74) Agent: HOPKINS, Donald, Leslie; C/- Don Hopkins &
Associates, Unit 2, Northcote Office Park, 145-147 Queen
Street, Palmerston North (NZ).

(21) International Application Number:
PCT/NZ2003/000280

(22) International Filing Date:
17 December 2003 (17.12.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
523237 18 December 2002 (18.12.2002) NZ

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR,
CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR,
KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN,
MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU,
SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA,
UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (BW, GH,
GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE,
SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA,
GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*):
TARANAKI NUCHEM LIMITED [NZ/NZ]; 5 Hudson
Road, New Plymouth (NZ).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): HAYWARD, Peter,
James [NZ/NZ]; 78 Plymouth Road, RD 4, New Plymouth
(NZ). MASON, George, William [NZ/NZ]; 78 Plymouth
Road, RD 4, New Plymouth (NZ).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: IMPROVEMENTS IN PRESERVATIVES FOR WOOD-BASED PRODUCTS

(57) Abstract: A method of using triadimefon and/or triadimenol as a preservative for the protection of glued wood-based products against attack and destruction of microorganisms. The method is characterized in that triadimefon and/or triadimenol is applied during the manufacturing process of the glued wood-based products.

WO 2004/054766 A1

TITLE OF THE INVENTIONIMPROVEMENTS IN PRESERVATIVES FOR WOOD-BASED PRODUCTS

5

FIELD OF THE INVENTION

The present invention relates to antifungal preservatives for wood-based glued products.

10

BACKGROUND OF THE INVENTION

As a biological material, wood is subject to attack by fungi and insects. These organisms may damage the appearance of the wood, and they may seriously reduce it's structural strength. Wood and wood-based products can be protected from the effects of wood destroying organisms by applying fungicides or insecticides, or both. Such treatments can greatly improve the service life of the wood product, especially for timbers with low natural durability, such as radiata pine and other softwood species.

For some wood-based products, conventional methods of applying preservative treatment are inappropriate. For

example, water based treatments such as copper chrome arsenate ("CCA") cannot be applied to laminated veneer products, particle based products or fibre based products without causing significant degrade and product loss. Other
5 post-manufacture treatments for these products, such as light organic solvent preservative ("LOSP") are expensive and require a further processing step to achieve the treatment, creating extra cost.

10 A method favored by some wood-based product manufacturers is the application of a preservative by addition to the glue during manufacture. This approach can be used for any wood product that is constructed from relatively thin or small particles, such as wood fibre, wood chip or flake and thin
15 wood veneer. Plywood, laminated veneer lumber (LVL), medium density fibreboard (MDF), waferboard/strandboard/oriented strandboard (OSB) and particleboard fall into this category.

The major drawbacks with this method of application lie in
20 the nature of the glues used in the manufacturing process and the type of compounds available for treatment.

In general, glue systems for wood based products have high pH (9-12) or are highly reactive (e.g. isocyanate based glues).

Thus the addition of a compound to such an environment can result in rapid degradation of the molecule. A further challenge to the robustness of the added compound is the curing condition for the glues. These are often high
5 temperatures (~170°C) in a high pressure pressing system.

These conditions require that any added preservative be robust enough to retain at least some of it's activity to be effective during the service life of the product.

10

It is known in the art that triazoles are generally effective against the *Basidiomycetes* , which are the fungi known to cause decay in wood. The triazoles most commonly used to protect solid wood from decay are tebuconazole and
15 propiconazole. The amount of active ingredient needed in the wood to protect from decay has been shown to be in the order 50g/m³ wood to 300g /m³ wood for tebuconazole and 220g/m³ wood to 490g /m³ wood for propiconazole. It has also been disclosed that these two triazoles can act synergistically in
20 some cases.

Furthermore, it is also known that due to the nature of the glue systems, the above mentioned triazoles that show activity in solid wood applications, when used in a glue-line

treatment, have to be added in large quantities to the glue mixture due to subsequent breakdown in the process or due to inhomogeneous distribution in the wood based product.

- 5 A need therefore continues to exist for a preservative for wood-based products that can be applied in the manufacturing of wood-based products.

Applicant has surprisingly found that triadimefon and
10 triadimenol can be used as preservatives for the protection of wood-based products against attack and destruction of microorganisms, especially of fungi.

Surprisingly triadimefon and triadimenol are stable under the
15 conditions of the glue-line treatment and thus can be employed as preservatives in the manufacturing of glued wood-based products. In some cases, under alkaline conditions, triadimefon is being converted into triadimenol which is stable under these conditions and which also exhibits the
20 required biological properties.

OBJECTS OF THE INVENTION

It is a first object of the present invention to provide a method of using triadimefon and/or triadimenol as an antimicrobial preservative for wood-based glued products.

It is a second object of the invention to provide a composition having improved antimicrobial properties as preservative for use in the production of wood-based glued products.

SUMMARY OF THE INVENTION

1. According to one aspect of the present invention there is provided method of using triadimefon and/or triadimenol as a preservative for the protection of glued wood-based products against attack and destruction of microorganisms characterized in that triadimefon and/or triadimenol is applied during the manufacturing process of the glued wood-based products.

2. According to a further aspect of the invention there is provided a composition for the protection of glued wood-based products against attack and destruction of

microorganisms containing a glue, triadimefon and/or triadimenol.

MORE DETAILED DESCRIPTION OF THE INVENTION

5

(±)1-(4-chlorophenoxy)-3,3-dimethyl-1-(1H-1,2,4-triazol-1-yl)butan-2-one (triadimefon) is a known triazole compound which is used in agriculture as a fungicide, especially for *Basidiomycete* control. Triadimefon has an alcohol analogue(±)
10 1-(4-chlorophenoxy)-3,3-dimethyl-1-(1H-1,2,4-triazol-1-yl)butan-2-ol (triadimenol), which shows similar activity and which is used for the same purpose. These known compounds are being superseded in agricultural uses by newer triazole compounds, such as propiconazole and tebuconazole, because of
15 their higher activity at lower use rates.

Table 1. Agriculture use rates for selected triazoles.

Active	Use rate range g/ha (agricultural uses) ¹
propiconazole	100-150
tebuconazole	100-250
triadimefon	125-500
triadimenol	125-500

¹ Data from The Pesticide Manual, 12th Edition. British Crop Protection Council, Farnham, Surrey, UK. 2000

When the known triazoles are applied to wood based products
5 as for example strandboard, particleboard, Medium Density
Fibreboard (MDF), Plywood and Laminated Veneer Lumber (LVL)
via the glueline, the expected levels of performance are not
met at a said active content as would be expected.

10 Surprisingly, under these conditions, triadimefon and
triadimenol show remarkable and consistent efficacy at
surprisingly low levels. That means, improved levels of
performance relative to the low amounts of
triadimefon/triadimenol added are exhibited.

15

When used in the glue-line under alkaline conditions such as
found in PF type glues, triadimefon may be reduced to the
alcohol analogue triadimenol which surprisingly shows the
same efficacy as triadimefon.

20

Table 2. Effective dosing rates for tebuconazole,
propiconazole and triadimefon

¹ Use rate gram a.i./m ³	² Efficacy against target organism (expressed as weight loss per cent in a standard rot trial with <i>Tyromyces</i> <i>palustris</i> as the target species) ¹		
	Tebuconazole	Propiconazole	Triadimefon
80	9.2	-	-
100	-	20.5	3.7
160	20.9	-	-
200	-	7.6	0.5
320	6.3	-	-
400	-	21.4	0.9
640	18.5	-	-
800	-	1.8	1.4
Untreated	17.5		
Commercial Standard ³ LOSP	5.8		

¹ In the glueline of plywood manufactured from *pinus* spp
using phenol formaldehyde glue

² Using Japan Wood Preservers Association Standard Test
procedure

5 ³ Light Organic Solvent Preservative (tributyl tin oxide)

The novel nature of this activity renders the triazole molecules triadimefon and triadimenol particularly suitable to the protection of glued wood based products from attack by microorganisms, especially of certain decay causing fungi.

5

According to the method of the present invention triadimefon and/or triadimenol are preferably added to the glue (glue-line treatment) during the manufacturing of glued wood-based products. Surprisingly according to the present invention
10 triadimefon and/or triadimenol can be applied at low rates while a high protection of the wood-based products is provided.

The method of the present invention preferably provides
15 protection of the glued wood-based products against attack and destruction of fungi.

Examples for wood destroying fungi are:

20 chaetomium as chaetomium globosum or
chaetomium alba-arenulum
humicola grisea
petriella as petriella setifera
trichurus as trichurus spiralis
25 basidiomycetes
coniophora as coniophora puteana
coriolus as coriolus versicolor

conkioporia as donkioporia expans
glenospora as glenospora graphii
gloeophyllum as gloeophyllum abietinum or
gloeophyllum adoratum or
5 gloeophyllum protactum or
gloeophyllum sepiarium or
gloeophyllum trabeum
lentinus as lentinus cyathiiformes or
lentinus edodes or
10 lentinus lepideus or
lentinus grinus or
Lentinus squarrolousus
paxillus as paxillus panuoides
pleurotus as pleurotus ostreatus
15 poria as poria monticola or
poria placenta or
poria vaillantii or
poria vaporaria
serpula as serpula himantoides or
20 serpula lacrymans
stereum as stereum hirsutum
tyromyces as tyromyces palustris.

The process of manufacturing of glued wood-based products is
25 in general commonly known. This process of manufacturing is
generally used for any wood-composite product that is
constructed from relatively thin or small particles, such as
wood fibre, wood chip or flake and thin wood veneer. Plywood,
laminated veneer lumber (LVL), medium density fibreboard

(MDF), waferboard/strandboard/oriented strandboard (OSB) and particleboard can be manufactured by that method.

During this process the thin or small wood particles are
5 combined with each other by addition of a glue or glue system
under application of pressure to form a wood composite
product. It is a known practice to add a wood preservative to
the glue or glue system during the manufacturing process, the
so-called glue-line treatment.

10

According to the method of the present invention, triadimefon
and/or triadimenol are preferably added to the glue during
the process of manufacturing of the wood-based products. It
also possible to first prepare a composition containing a
15 glue, triadimefon and/or triadimenol and optionally one or
more solvents which are compatible with the glue or glue
system and to apply such composition to the wood particles in
the manufacturing process.

20 Solvents that can be used in the method of the present
invention are for example N-methyl-pyrrolidone, glycolethers,
texanole, benzyl alcohol, phenoxy ethanol, cyclohexanone.

High levels of glycols should be avoided because they might
25 affect the viscosity or curing times of the glues.

Examples for the glue that can be used in the manufacturing of glued wood-based products are the following glues or glue systems: urea or urea phenol based systems as UF = urea-formaldehyde resins, PF = phenol-

5 melamine(formaldehyde)resins, MUF = melamine(formaldehyde)-urea resins ;

Polyvinyl alcohol (PVA) systems;

pMDI = polymeric methylene diphenyldiisocyanate.

Preferred are UF, MUF, PF and PVA systems.

10

In a further embodiment of the present invention triadimefon and/or triadimenol are used in mixture with at least one further fungicide, preferably selected from tebuconazole and cyproconazole.

15

It was found that surprisingly triadimefon and/or triadimenol enhance the protective effectiveness of other triazole fungicides, namely tebuconazole and cyproconazole, in glued wood based products, when applied in a combination product.

20

Combinations of triadimefon with tebuconazole, preferably in a molar ratio of 5:1 to 1:2, or with cyproconazole, preferably in a molar ratio of 5:1 to 1:3, provide a broad protection of glued wood based products against decay causing fungi.

25

In a further embodiment of the present invention triadimefon and/or triadimenol are applied in combination with one or

more insecticide that is known to be effective when applied via the glueline. Appropriate insecticides include synthetic pyrethroids - such as permethrin, cypermethrin, alpha-cypermethrin, deltamethrin, cyfluthrin, bifenthrin -, neonicotinoids - such as imidacloprid, clothianidin, acetamiprid, thiamethoxam -, chlorfenapyr, and fipronil. Mixtures of insecticides with triadimefon/triadimenol or combinations of triadimefon/triadimenol with tebuconazole or cyproconazole at appropriate rates will provide a simple one
5
10 step application of preservative and gluing system for in-process treatment of most wood-based composites.

The present invention further provides a composition for the protection of glued wood-based products against attack and
15 destruction of microorganisms. Such composition contains triadimefon and/or triadimenol and a glue or glue system. The preferred glues or glue systems are those mentioned above. The composition of the present invention may contain further additives such as solvents, which are compatible with the
20 glue or glue system. The composition can alternatively be suspended in water such that the water becomes a component of the composition. The composition of the present invention can be prepared by commonly known methods, for example by mixing the single components. The composition can be used

according to the method of the present invention by addition to the wood particles during the manufacturing process of wood-based glued products.

CLAIMS:

1. Method of using triadimefon and/or triadimenol as a preservative for the protection of glued wood-based products against attack and destruction of microorganisms characterized in that triadimefon and/or triadimenol is applied during the manufacturing process of the glued wood-based products.
2. Method according to Claim 1, characterized in that the wood-based products are selected from wood fibre, wood chip or flake and thin wood veneer, plywood, laminated veneer lumber (LVL), medium density fibreboard (MDF), waferboard/strandboard/oriented strandboard (OSB) and particleboard.
3. Method according to at least one of Claims 1 or 2, characterized in that triadimefon and/or triadimenol are added to the glue during the manufacturing of the wood-based products.
4. Method according to at least one of Claims 1 to 3, characterized in that a mixture of glue, triadimefon

and/or triadimenol and optionally one or more solvents are applied by glue-line addition.

5. Method according to at least one of Claims 1 to 4,
5 characterized in that a mixture of triadimefon and/or triadimenol and at least one further active selected from the series of fungicides and insecticides is employed.
6. Method according to at least one of Claims 1 to 5,
10 characterized in that a mixture of triadimefon and/or triadimenol and at least one compound selected from tebuconazole and cyproconazole is employed.
7. Composition for the protection of glued wood-based
15 products against attack and destruction of microorganisms containing a glue, triadimefon and/or triadimenol.
8. Composition according to Claim 7, containing one or more further actives selected from fungicides and insecticides
20 and optionally one or more solvents compatible with the glue or is suspended or emulsified in water
9. Composition according to Claim 7, containing water as the solvent.

10. Glued wood-based product containing triadimefon and/or
triadimenol.

5

10

15

20

25

30

35

INTERNATIONAL SEARCH REPORT

International application No.

PCT/NZ2003/000280

A. CLASSIFICATION OF SUBJECT MATTER		
Int. Cl. ⁷ : B27K 3/40, 3/50, 3/38, 3/34		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols) B27K		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched NONE		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) DWPI: B27K AND TRIADIME+, B27K 3/50 AND TRIAZOL+		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DE 19648888 A1 (Remmers Bauchemie GMBH) 28 May 1998 Abstract	
A	EP 533016 A1 (Bayer AG) 24 March 1993 Abstract	
A	WO 2000/71314 (Lonza Inc) 30 November 2000 Abstract	
<input type="checkbox"/> Further documents are listed in the continuation of Box C <input checked="" type="checkbox"/> See patent family annex		
<p>* Special categories of cited documents:</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier application or patent but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"&" document member of the same patent family</p>		
Date of the actual completion of the international search 24 February 2004		Date of mailing of the international search report 27 FEB 2004
Name and mailing address of the ISA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaaustralia.gov.au Facsimile No. (02) 6285 3929		Authorized officer GREGORY DIVEN Telephone No : (02) 6283 2992

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/NZ2003/000280

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report		Patent Family Member			
DE	19648888	NONE			
EP	533016	AT	129384	CA	2078412
		FI	924165	JP	5194117
WO	2000/71314	AU	54438/00	CA	2374884
		JP	2003500374	US	6527981
		END OF ANNEX			

(To add more lines press TAB at end of last row, remove paragraph marker to join up 'END OF ANNEX' box)